

Figure 1




Figure 2




Figure 3

1400




Figure 4A




Figure 4B




Figure 5A

FIGURE 5B




Figure 5B





Figure 6



Memory Access Mode Code	
Code	Description
0 - -	Mapped
100	Unmapped and coherent
101	Unmapped and non-coherent
110	if (LogicalAddress[0] = 0) then mapped else unmapped and coherent
111	if (LogicalAddress[0] = 0) then mapped else unmapped and non-coherent

Figure 7

TOP SECRET




Figure 8






Figure 9





Figure 10A




Figure 10B

2100




Figure 11




Figure 12

TOP SECRET




Figure 13

Downloaded from www.elsevier.com




Figure 14




Figure 15




Figure 16




Figure 17

2800




Figure 18




Figure 19A




Figure 19B




Figure 20A




Figure 20B







Figure 21



3230

Command Queue Size (CQSZ) Code and Next Address Generation				
Code	Size (bytes)	Command Queue Next Address [0:31]		
000	256	CQSA [0:23]	CNC [11:15]	000
001	512	CQSA [0:22]	CNC [10:15]	000
010	1024	CQSA [0:21]	CNC [9:15]	000
011	2048	CQSA [0:20]	CNC [8:15]	000
100	4096	CQSA [0:19]	CNC [7:15]	000

0 19 20 21 22 23 24 28 29 31

3231 3232 3233

Figure 22

3300

Priority Number	Functional Group Name	3301
0	IALU - Integer Arithmetic/Logical Unit	
1	ISHU - Integer Shift Unit	
2	LSU - Load/Store Unit	
3	VPU - Vector Permute Unit	
4	VSIU - Vector Simple Integer Unit	
5	VCIU - Vector Complex Integer Unit	
6	VLUT - Vector Look-up Table Unit	
7	BRU - Branch Unit	3302

Figure 23




Figure 24




Figure 25

Functional Unit	Latency	Dispatch Rate
IALU - not multiply or divide	2	1
IALU - multiply	19	19
IALU - divide	35	35
ISHU	2	1
LSU - non-DMA address update	2	1
LSU - non-DMA load data update	3	1
LSU - non-DMA store	1	1
LSU - DMA instructions	1	1
VPU	2	1
VSIU	2	1
VCIU	6	1
VLUT - reads, vwid	4	1
VLUT - writes	1	1
Branch instruction	1	1

Figure 26




Figure 27




Figure 28


3900

Program Counter		PSt
0	29 30	31

3901

Pst	Name	Description
00	Idle	CQ counters are equal and no current command executing. Program counter is invalid.
01	Run	Command was executing. Program counter points to next instruction that would have been executed.
10	IWait	Command was executing, but instruction fetching has stopped due to a previous exception. Program counter points to the next instruction that would have been executed.
11	CWait	Command was not executing due to an exception in fetching the command. Program counter is invalid.

Figure 29



4006

Name	Descriptions
IE	Illegal Opcode Exception. Occurs whenever an illegal Opcode is fetched for execution. Cleared when read by the host.
PE	Program Counter Exception. Occurs whenever the host does a read program counter with exception. Cleared with read by host.
ME	Memory Access Exception. Occurs whenever a memory operation results in a memory access exception. Cleared when read by the host.
ICODE	Interrupt Code. Can be read and written by a compute engine or the host.
IV	Interrupt Valid. Set and read by the compute engine to indicate and interrupt to the host. Read and cleared by the host.

Figure 30




Fig. 31




Fig. 32




Fig. 33





Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39

6010






Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45






Fig. 46




Fig. 47




Fig. 48

6910






Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56




Fig. 57




Fig. 58




Fig. 59




Fig. 60




Fig. 61

Index	T1				T2				T3				T4			
	type	bits	run	level	type	bits	run	level	type	bits	run	level	type	bits	run	level
00	4	2	0	1	4	6	3	1	4	9	11	1	4	10	5	3
01	4	2	0	1	4	6	3	1	4	9	11	-1	4	10	5	3
02	4	2	0	1	4	6	3	-1	4	9	12	1	4	10	5	-3
03	4	2	0	1	4	6	3	-1	4	9	12	-1	4	10	5	-3
04	4	2	0	1	4	6	4	1	4	9	13	1	4	10	3	4
05	4	2	0	1	4	6	4	1	4	9	13	-1	4	10	3	4
06	4	2	0	1	4	6	4	-1	4	9	14	1	4	10	3	-4
07	4	2	0	1	4	6	4	-1	4	9	14	-1	4	10	3	-4
08	4	2	0	-1	4	6	0	7	4	9	5	2	4	10	3	5
09	4	2	0	-1	4	6	0	7	4	9	5	-2	4	10	3	5
0a	4	2	0	-1	4	6	0	-7	4	9	6	2	4	10	3	-5
0b	4	2	0	-1	4	6	0	-7	4	9	6	-2	4	10	3	-5
0c	4	2	0	-1	4	6	0	8	4	9	3	3	4	10	2	6
0d	4	2	0	-1	4	6	0	8	4	9	3	-3	4	10	2	6
0e	4	2	0	-1	4	6	0	-8	4	9	4	3	4	10	2	-6
0f	4	2	0	-1	4	6	0	-8	4	9	4	-3	4	10	2	-6
10	4	3	0	2	4	7	5	1	4	9	2	4	4	10	1	9
11	4	3	0	2	4	7	5	-1	4	9	2	-4	4	10	1	9
12	4	3	0	2	4	7	6	1	4	9	2	5	4	10	1	-9
13	4	3	0	2	4	7	6	-1	4	9	2	-5	4	10	1	-9
14	4	3	0	-2	4	7	2	2	4	9	1	8	4	10	1	10
15	4	3	0	-2	4	7	2	-2	4	9	1	-8	4	10	1	10
16	4	3	0	-2	4	7	1	3	4	9	0	18	4	10	1	-10
17	4	3	0	-2	4	7	1	-3	4	9	0	-18	4	10	1	-10
18	1	3	0	0	4	7	1	4	4	9	0	19	4	10	1	11
19	1	3	0	0	4	7	1	-4	4	9	0	-19	4	10	1	11
1a	1	3	0	0	4	7	0	9	4	9	0	20	4	10	1	-11
1b	1	3	0	0	4	7	0	-9	4	9	0	-20	4	10	1	-11
1c	4	4	1	1	4	7	0	10	4	9	0	21	4	10	0	0
1d	4	4	1	1	4	7	0	-10	4	9	0	-21	4	10	0	0
1e	4	4	1	-1	4	7	0	11	4	9	0	22	4	10	1	0
1f	4	4	1	-1	4	7	0	-11	4	9	0	-22	4	10	1	0
20	4	4	0	3	5	8	7	1	0	0	0	0	4	11	6	3
21	4	4	0	3	5	8	8	1	0	0	0	0	4	11	6	-3
22	4	4	0	-3	5	8	9	1	0	0	0	0	4	11	4	4
23	4	4	0	-3	5	8	10	1	0	0	0	0	4	11	4	-4
24	4	4	0	4	5	8	3	2	0	0	0	0	4	11	3	6
25	4	4	0	4	5	8	4	2	0	0	0	0	4	11	3	-6
26	4	4	0	-4	5	8	2	3	0	0	0	0	4	11	1	12
27	4	4	0	-4	5	8	1	5	0	0	0	0	4	11	1	-12
28	4	5	2	1	5	8	1	6	0	0	0	0	4	11	1	13
29	4	5	2	-1	5	8	1	7	0	0	0	0	4	11	1	-13
2a	4	5	1	2	5	8	0	12	0	0	0	0	4	11	1	14
2b	4	5	1	-2	5	8	0	13	0	0	0	0	4	11	1	-14
2c	4	5	0	5	5	8	0	14	0	0	0	0	4	11	2	0
2d	4	5	0	-5	5	8	0	15	0	0	0	0	4	11	3	0
2e	4	5	0	6	5	8	0	16	0	0	0	0	4	11	4	0
2f	4	5	0	-6	5	8	0	17	0	0	0	0	4	11	5	0
30	0	0	0	0	0	0	0	0	0	0	0	0	5	12	7	2
31	0	0	0	0	0	0	0	0	0	0	0	0	5	12	8	2
32	0	0	0	0	0	0	0	0	0	0	0	0	5	12	9	2
33	0	0	0	0	0	0	0	0	0	0	0	0	5	12	10	2
34	0	0	0	0	0	0	0	0	0	0	0	0	5	12	7	3
35	0	0	0	0	0	0	0	0	0	0	0	0	5	12	8	3
36	0	0	0	0	0	0	0	0	0	0	0	0	5	12	4	5
37	0	0	0	0	0	0	0	0	0	0	0	0	5	12	3	7
38	0	0	0	0	0	0	0	0	0	0	0	0	5	12	2	7
39	0	0	0	0	0	0	0	0	0	0	0	0	5	12	2	8
3a	0	0	0	0	0	0	0	0	0	0	0	0	5	12	2	9
3b	0	0	0	0	0	0	0	0	0	0	0	0	5	12	2	10
3c	0	0	0	0	2	12	0	0	0	0	0	0	5	12	2	11
3d	0	0	0	0	2	12	0	0	0	0	0	0	5	12	1	15
3e	0	0	0	0	3	15	0	0	0	0	0	0	5	12	1	16
3f	0	0	0	0	3	15	0	0	0	0	0	0	5	12	1	17
40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
...	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ff	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Fig. 62




Fig. 63




Fig. 64




Fig. 65




Fig. 66




Fig. 67




Fig. 68




Fig. 69




Fig. 70




Fig. 71




Fig. 72




Fig. 73





Fig. 74




Fig. 75




Fig. 77




Fig. 78




Fig. 79

Fig. 80




Fig. 81




Fig. 82




Fig. 83




Fig. 84




Fig. 85




Fig. 86




Fig. 87




Fig. 88




Fig. 89




Fig. 90

FIG. 1 is a block diagram of a color conversion system. The system takes an input color signal (R, G, B, 0) and processes it through several stages. The input signal is split into four paths (4501, 4503, 4505, 4507, 4509). These paths feed into a second stage (4503) which outputs R, R, R, R, G, G, G, G, B, B, B, B, 0, 0, 0, 0. This stage then feeds into a third stage (4543) which outputs 16 LUTs (LUT 0 to LUT 15), each outputting 256 x 8. The LUT outputs feed into a fourth stage (4513) which outputs B00 to B03, B10 to B13, B20 to B23, 0, 0, 0, and a. These outputs feed into a fifth stage (4541) which outputs P0, P1, P2, and A. Finally, the outputs of the fifth stage feed into a sixth stage (4521) which outputs Y or Cb or Cr.

Fig. 91




Fig. 92




Fig. 93




Fig. 94




Fig. 95




Fig. 96

Copyright © 2004 Intel Corporation




Fig. 97